Kebu Meltstick PRODUCT DATA SHEET

- Repair stick
- · For defects of the factory coating
- Easy application
- For operating temperatures up to + 90 °C

Kebu Meltstick is used to repair minor, superficial damage to the polyethylene factory coating.

Kebu Meltstick stick consists of a heat-activated adhesive. It is supplied as a round stick for easy processing.





Kebu Meltstick is ideally suited for repairing the factory coating if the damage is superficial and if it does not exceed a size of 10mm. It's compatible with factory coatings made of PE, PP, FBE, PU and Bitumen.

In case of small damages reaching the metal surface, it is recommended to repair them with **Kebulen patches C 50**. Larger damages are wrapped like a welded seam area with cold processable tapes or with shrink sleeves.

APPLICATION

The area to be coated must be dry and free of dust and grease. Preheat the area. the factory coating must be roughened in the area of the defect. Preheat **Kebu Meltstick** with a flame until the material becomes soft. A slight ignition of **Kebu Meltstick** is acceptable. Heat the **Kebu Meltstick** and the repair area at the same time. Smooth the material on the factory coating with a hot spatula. The material of the **Kebu Meltstick** must cover and fill the repair area. The full strength of the polyethylene of the **Kebu Meltstick** is reached only after min. 2 hours.

FORMS OF DELIVERY

	Diameter [mm]	Length [mm]	Pieces/Box [-]
Kebu Meltstick	25	300	36

PROPERTIES

Property	Unit	Typical values
Material	-	Hot melt adhesive
Hardness (Shore D)	-	50
Density	g/cm³	~ 1

The information given in this publication is based on our knowledge and experience. The hints and instructions for use given therein have been compiled to the best of our knowledge on the basis of our tests and experience. Best results will be obtained if our products are used in a proper and expert way. Any protected rights and existing laws and regulations must be complied with the recipient. In all other respects our general terms and conditions shall apply.

-- Rev.: 01_18.04.2023 --

