Page 1 of 12 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.02.2023 / 0001 Replacing version dated / version: 03.02.2023 / 0001 Valid from: 03.02.2023 PDF print date: 06.02.2023 Kebulen Heat shrinkable sleeve MSM C30 Kebulen Heat shrinkable sleeve MSM C50 Kebulen Heat shrinkable sleeve MSM C50-M

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

GB

Kebulen Heat shrinkable sleeve MSM C30 Kebulen Heat shrinkable sleeve MSM C50 Kebulen Heat shrinkable sleeve MSM C50-M

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture: See definition of the substance or mixture.

Uses advised against:

No information available at present.

1.3 Details of the supplier of the safety data sheet

Kebulin-Gesellschaft Kettler GmbH & Co. KG Ostring 9 45701 Herten-Westerholt Tel.: ++49(0)209/9615-0 Fax: ++49(0)209/9615-190

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number Emergency information services / official advisory body:

Telephone number of the company in case of emergencies: ++49 209 9615 0

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP) This is an article.

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

Not applicable This is an article.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0.1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

Page 2 of 12

GB

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.02.2023 / 0001 Replacing version dated / version: 03.02.2023 / 0001 Valid from: 03.02.2023 PDF print date: 06.02.2023 Kebulen Heat shrinkable sleeve MSM C30 Kebulen Heat shrinkable sleeve MSM C50 Kebulen Heat shrinkable sleeve MSM C50-M

SECTION 3: Composition/information on ingredients

3.1 Substances

n.a. 3.2 Mixtures

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Not required.

Skin contact Wash thoroughly with soap and water.

Eve contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Typically no exposure pathway.

Rinse the mouth thoroughly with water.

Give copious water to drink. Consult doctor if necessary.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire. Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

None known

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Oxides of carbon Oxides of sulphur Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary.

Page 3 of 12 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.02.2023 / 0001 Replacing version dated / version: 03.02.2023 / 0001 Valid from: 03.02.2023 PDF print date: 06.02.2023 Kebulen Heat shrinkable sleeve MSM C30 Kebulen Heat shrinkable sleeve MSM C50 Kebulen Heat shrinkable sleeve MSM C50-M

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Avoid contact with eyes.

GB

Avoid long lasting or intensive contact with skin.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

Prevent from entering drainage system.

Prevent surface and ground-water infiltration, as well as ground penetration.

6.3 Methods and material for containment and cleaning up

Pick up mechanically and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing. Store at room temperature.

Store in a dry place.

7.3 Specific end use(s)

No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Chemical Name	Talc				
WEL-TWA: 1 mg/m3 (res. dust)		WEL-STEL:			
Monitoring procedures:					
BMGV:				Other information:	
	-				
Chemical Name	Carbon black				
WEL-TWA: 3,5 mg/m3		WEL-STEL:	7 mg/m3		
Monitoring procedures:					
BMGV:				Other information:	
(GB)					

Page 4 of 12
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 03.02.2023 / 0001
Replacing version dated / version: 03.02.2023 / 0001
Valid from: 03.02.2023
PDF print date: 06.02.2023
Kebulen Heat shrinkable sleeve MSM C30
Kebulen Heat shrinkable sleeve MSM C50
Kebulen Heat shrinkable sleeve MSM C50-M

(GB)

Chemical	Name	Asphalt				
WEL-TWA: 5	5 mg/m3 (Asphalt, j	petroleum fumes)	WEL-STEL:	10 mg/m3 (Asp	halt, petroleum	
			fumes)			
Monitoring pro	cedures:		-			
BMGV:					Other information: -	
Chemical	Name	general dust limit				
	10 mg/m3 (inhal. dι	ust), 4 mg/m3	WEL-STEL:			
(respir. dust)						
Monitoring pro	cedures:		-			
BMGV:					Other information: -	

Carbon black						
Area of application	Exposure route / Environmental compartment	Effect on health	Descripto r	Value	Unit	Note
	Environment - freshwater Environment - marine		PNEC PNEC	1	mg/l	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	0,1 0,06	mg/l mg/m3	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	1	mg/m3	

Anna of annilla atlan			Descriptor	Malara	11!(Mata
Area of application	Exposure route /	Effect on health	Descripto	Value	Unit	Note
	Environmental		r			
	compartment					
Consumer	Human - inhalation	Long term, local	DNEL	0,6	mg/m3	
		effects			Ū	
Workers / employees	Human - inhalation	Long term, local	DNEL	2,9	mg/m3	
1 3		effects				

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision. (13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and nonmetrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

Page 5 of 12 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.02.2023 / 0001 Replacing version dated / version: 03.02.2023 / 0001 Valid from: 03.02.2023 PDF print date: 06.02.2023 Kebulen Heat shrinkable sleeve MSM C30 Kebulen Heat shrinkable sleeve MSM C50 Kebulen Heat shrinkable sleeve MSM C50-M

General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: Normally not necessary.

GB

Skin protection - Hand protection: Normally not necessary. If applicable Leather gloves. Nitrile-soaked cotton gloves with CE sign (EN ISO 374).

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

Respiratory protection: Normally not necessary.

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:	Solid
Colour:	According to specification
Odour:	Characteristic
Melting point/freezing point:	There is no information available on this parameter.
Boiling point or initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:	There is no information available on this parameter.
Lower explosion limit:	Does not apply to solids.
Upper explosion limit:	Does not apply to solids.
Flash point:	Does not apply to solids.
Auto-ignition temperature:	Does not apply to solids.
Decomposition temperature:	There is no information available on this parameter.
pH:	Insoluble
Kinematic viscosity:	There is no information available on this parameter.
Solubility:	Insoluble
Partition coefficient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	There is no information available on this parameter.
Density and/or relative density:	There is no information available on this parameter.
Relative vapour density:	Does not apply to solids.
Particle characteristics:	There is no information available on this parameter.
9.2 Other information	

No information available at present.

SECTION 10: Stability and reactivity

Page 6 of 12

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.02.2023 / 0001 Replacing version dated / version: 03.02.2023 / 0001 Valid from: 03.02.2023 PDF print date: 06.02.2023 Kebulen Heat shrinkable sleeve MSM C30 Kebulen Heat shrinkable sleeve MSM C50 Kebulen Heat shrinkable sleeve MSM C50-M

10.1 Reactivity

Not to be expected **10.2 Chemical stability** Stable with proper storage and handling. **10.3 Possibility of hazardous reactions** No dangerous reactions are known. **10.4 Conditions to avoid**

None known

10.5 Incompatible materials

None known

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classification).

Kebulen Heat shrinkable slee	eve MSM C30)	· · ·			
Kebulen Heat shrinkable slee	eve MSM C50)				
Kebulen Heat shrinkable slee	eve MSM C50)-М				
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RE):						
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>5000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>2000	mg/kg	Rat		
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Skin corrosion/irritation:						Not irritant
Respiratory or skin sensitisation:						Not sensitizising
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Carcinogenicity:						Negative
Reproductive toxicity:				Rat		Negative

œ–

Page 7 of 12 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.02.2023 / 0001 Replacing version dated / version: 03.02.2023 / 0001 Valid from: 03.02.2023 PDF print date: 06.02.2023 Kebulen Heat shrinkable sleeve MSM C30 Kebulen Heat shrinkable sleeve MSM C50 Kebulen Heat shrinkable sleeve MSM C50-M

Symptoms:						mucous membrane irritation
Carbon black						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/kg	Rat		
Acute toxicity, by dermal route:	LD50	>3000	mg/kg			
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Not irritant
Respiratory or skin sensitisation:				Guinea pig	OECD 406 (Skin Sensitisation)	Not sensitizising
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Carcinogenicity:				Mouse	,	Negative
Specific target organ toxicity - repeated exposure (STOT- RE):	NOEL	0,0011	mg/l			References, Target organ(s): lung(90d)
Aspiration hazard:						No
Specific target organ toxicity - repeated exposure (STOT- RE), oral:	NOAEL	137	mg/kg	Mouse		
Specific target organ toxicity - repeated exposure (STOT- RE), oral:	NOAEL	52	mg/kg	Rat		
Asphalt Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes

Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Acute toxicity, by oral route:	LD50	> 5000	mg/kg	Rat	OECD 401 (Acute	
					Oral Toxicity)	
Acute toxicity, by dermal	LD50	> 2000	mg/kg	Rabbit	OECD 402 (Acute	
route:					Dermal Toxicity)	
Acute toxicity, by inhalation:	LD50	> 94,4	mg/m3	Rat	OECD 403 (Acute	Analogous
			_		Inhalation Toxicity)	conclusion
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute	Not irritant
					Dermal	
					Irritation/Corrosion)	
Serious eye				Rabbit	OECD 405 (Acute	Not irritant
damage/irritation:					Eye	
					Irritation/Corrosion)	
Respiratory or skin				Guinea pig	OECD 406 (Skin	No (skin
sensitisation:					Sensitisation)	contact)
Germ cell mutagenicity:					OECD 473 (In Vitro	Negative
					Mammalian	Chinese
					Chromosome	hamster
					Aberration Test)	
Reproductive toxicity:	NOAEL	1000	mg/kg	Rat	OECD 416 (Two-	
			bw/d		generation	
					Reproduction Toxicity	
					Study)	
Symptoms:						vomiting,
						mucous
						membrane
						irritation

@B—

Page 8 of 12
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 03.02.2023 / 0001
Replacing version dated / version: 03.02.2023 / 0001
Valid from: 03.02.2023
PDF print date: 06.02.2023
Kebulen Heat shrinkable sleeve MSM C30
Kebulen Heat shrinkable sleeve MSM C50
Kebulen Heat shrinkable sleeve MSM C50-M

Specific target organ toxicity -	NOAEL	> 2000	mg/kg	Rabbit	OECD 410 (Repeated
repeated exposure (STOT-			bw/d		Dose Dermal Toxicity -
RE), dermal:					90-Day)

11.2. Information on other hazards

Kebulen Heat shrinkable sleeve MSM C30 Kebulen Heat shrinkable sleeve MSM C50 Kebulen Heat shrinkable sleeve MSM C50-M						
Toxicity / effect	Endpoint	Value	Unit	Organism	Test method	Notes
Endocrine disrupting						Does not apply
properties:						to mixtures.
Other information:						No other
						relevant
						information
						available on
						adverse effects
						on health.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:							n.d.a.
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to algae:							n.d.a.
12.2. Persistence and							n.d.a.
degradability:							
12.3. Bioaccumulative							n.d.a.
potential:							
12.4. Mobility in soil:							n.d.a.
12.5. Results of PBT							n.d.a.
and vPvB assessment							
12.6. Endocrine							Does not apply
disrupting properties:							to mixtures.
12.7. Other adverse							No information
effects:							available on
							other adverse
							effects on the
							environment.

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Water solubility:			<0,1	%			
12.1. Toxicity to fish:	LC50	96h	100	g/l	Brachydanio rerio		
12.2. Persistence and degradability:							Not relevant for inorganic substances.
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance

Carbon black							
Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
	•						

(B)-

Page 9 of 12 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.02.2023 / 0001 Replacing version dated / version: 03.02.2023 / 0001 Valid from: 03.02.2023 PDF print date: 06.02.2023 Kebulen Heat shrinkable sleeve MSM C30 Kebulen Heat shrinkable sleeve MSM C50 Kebulen Heat shrinkable sleeve MSM C50-M

	1		1	1			
Water solubility:							Insoluble,
							Product floats
							on the water
							surface.
12.1. Toxicity to fish:	LC50	96h	>1000	mg/l	Brachydanio rerio	OECD 203	
						(Fish, Acute	
· · · · ·					_	Toxicity Test)	
12.1. Toxicity to	EC50	24h	>5600	mg/l	Daphnia magna	OECD 202	
daphnia:						(Daphnia sp.	
						Acute	
						Immobilisation	
						Test)	
12.1. Toxicity to algae:	NOEC/NOEL	3d	10000	mg/l	Scenedesmus	OECD 201	
					subspicatus	(Alga, Growth	
						Inhibition Test)	
12.2. Persistence and							Not
degradability:							biodegradable
12.3. Bioaccumulative							Not to be
potential:							expected
Toxicity to bacteria:	EC0	3h	>=800	mg/l	activated sludge	Regulation (EC)	
						440/2008 C.22	
						(SOIL	
						MICROORGANI	
						SMS - CARBON	
						TRANSFORMAT	
						ION TEST)	

Toxicity / effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LL50	96h	> 1000	mg/l	Oncorhynchus mykiss	QSAR	Analogous conclusion
12.1. Toxicity to daphnia:	LL50	48h	> 1000	mg/l	Daphnia magna	QSAR	Analogous conclusion
12.1. Toxicity to algae:	EL50	72h	> 1000	mg/l	Pseudokirchnerie Ila subcapitata	QSAR	Analogous conclusion
12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB substance
12.1. Toxicity to fish:	NOEC/NOEL	28d	>= 1000	mg/l	Oncorhynchus mykiss	QSAR	Analogous conclusion
12.1. Toxicity to daphnia:	NOEC/NOEL	21d	>= 1000	mg/l	Daphnia magna	QSAR	Analogous conclusion
12.3. Bioaccumulative potential:	Log Kow		>6				High
12.2. Persistence and degradability:							Not biodegradable

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product.

Owing to the user's specific conditions for use and disposal, other waste codes may be

allocated under certain circumstances. (2014/955/EU)

16 03 05 organic wastes containing hazardous substances

Recommendation:

Sewage disposal shall be discouraged.

Pay attention to local and national official regulations.

E.g. dispose at suitable refuse site.

œ–

(B)						
Page 10 of 12						
Safety data sheet according to Regulation (EC) No 190)7/2006, Annex II					
Revision date / version: 03.02.2023 / 0001						
Replacing version dated / version: 03.02.2023 / 0001						
Valid from: 03.02.2023						
PDF print date: 06.02.2023						
Kebulen Heat shrinkable sleeve MSM C30						
Kebulen Heat shrinkable sleeve MSM C50						
Kebulen Heat shrinkable sleeve MSM C50-M						
E.g. suitable incineration plant.						
For contaminated packing material						
Pay attention to local and national official regulations.						
Empty container completely.						
Recycling						
	14. Transport information					
SECTION	14: Transport information					
General statements						
Transport by road/by rail (ADR/RID)						
14.1. UN number or ID number:	Not applicable					
	Not applicable					
14.2. UN proper shipping name:						
Not applicable						
14.3. Transport hazard class(es):	Not applicable					
14.4. Packing group:	Not applicable					
14.5. Environmental hazards:	Not applicable					
Tunnel restriction code:	Not applicable					
Classification code:	Not applicable					
LQ:	Not applicable					
Transport category:	Not applicable					
Transport by sea (IMDG-code)						
14.1. UN number or ID number:	Not applicable					
	Not applicable					
14.2. UN proper shipping name:						
Not applicable						
14.3. Transport hazard class(es):	Not applicable					
14.4. Packing group:	Not applicable					
14.5. Environmental hazards:	Not applicable					
Marine Pollutant:	Not applicable					
EmS:						
Transport by air (IATA)						
14.1. UN number or ID number:	Not applicable					
14.2. UN proper shipping name:						
Not applicable						
14.3. Transport hazard class(es):	Not applicable					
14.4. Packing group:	Not applicable					
14.5. Environmental hazards:	Not applicable					
14.6. Special precautions for user						
Unless specified otherwise, general measures for safe	transport must be followed.					
14.7. Maritime transport in bulk accordin	•					
Non-dangerous material according to Transport Regula	20015.					
SECTION	15: Regulatory information					

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

(GR)

Comply with national regulations/laws governing maternity protection (national implementation of the Directive 92/85/EEC)! General hygiene measures for the handling of chemicals are applicable.

National requirements/regulations on safety and health protection must be applied when using work equipment.

15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

Page 11 of 12

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.02.2023 / 0001 Replacing version dated / version: 03.02.2023 / 0001 Valid from: 03.02.2023 PDF print date: 06.02.2023 Kebulen Heat shrinkable sleeve MSM C30 Kebulen Heat shrinkable sleeve MSM C50 Kebulen Heat shrinkable sleeve MSM C50-M

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA).

Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

according, according to acc., acc. to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approximately approx. Art., Art. no. Article number ASTM ASTM International (American Society for Testing and Materials) ATE Acute Toxicity Estimate BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council body weight bw CAS Chemical Abstracts Service Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of CLP substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon dw dry weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass (algae, plants) European Community EC ECHA European Chemicals Agency ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances **ELINCS** European List of Notified Chemical Substances ΕN **European Norms** United States Environmental Protection Agency (United States of America) EPA $ErCx, E\mu Cx, ErLx (x = 10, 50)$ Effect Concentration/Level of x % on inhibition of the growth rate (algae, plants) etc. et cetera EU **European Union** EVAL Ethylene-vinyl alcohol copolymer Fax number Fax.

Page 12 of 12 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 03.02.2023 / 0001 Replacing version dated / version: 03.02.2023 / 0001 Valid from: 03.02.2023 PDF print date: 06.02.2023 Kebulen Heat shrinkable sleeve MSM C30 Kebulen Heat shrinkable sleeve MSM C50 Kebulen Heat shrinkable sleeve MSM C50-M general aen. GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential Adsorption coefficient of organic carbon in the soil Koc octanol-water partition coefficient Kow IARC International Agency for Research on Cancer IATA International Air Transport Association International Bulk Chemical (Code) IBC (Code) IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive IUCLIDInternational Uniform Chemical Information Database IUPAC International Union for Pure Applied Chemistry LC50 Lethal Concentration to 50 % of a test population LD50 Lethal Dose to 50% of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil Log Koc Log Kow, Log Pow Logarithm of octanol-water partition coefficient LQ Limited Quantities MARPOL International Convention for the Prevention of Marine Pollution from Ships not applicable n.a. n.av. not available not checked n.c. n.d.a. no data available NIOSHNational Institute for Occupational Safety and Health (USA) NLP No-longer-Polymer NOEC, NOEL No Observed Effect Concentration/Level OECD Organisation for Economic Co-operation and Development org. organic OSHA Occupational Safety and Health Administration (USA) persistent, bioaccumulative and toxic PBT ΡE Polyethylene PNEC Predicted No Effect Concentration ppm parts per million PVC Polyvinylchloride Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning REACH the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SVHC Substances of Very High Concern Tel. Telephone TOC Total organic carbon UN RTDG United Nations Recommendations on the Transport of Dangerous Goods VOC Volatile organic compounds vPvB very persistent and very bioaccumulative wet weight wwt The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge.

These statements were made by:

No responsibility.

(GB)

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.